## **CLAIM LISTING**

- 1. (original) A method for data transmission, the method comprising the steps of:
  - (a) receiving a plurality of higher-layer packets;
  - (b) determining an error rate of a transmission;
  - (c) determining a lower-layer packet size based on the error rate;
- (d) multiplexing higher-layer packets onto a lower-layer packet, the lower-layer packet having a size as determined in step (C); and
  - (e) transmitting the lower-layer packet.
- 2. (original) The method of claim 1 wherein the step of receiving the plurality of higher-layer packets comprises the step of receiving the plurality of higher-layer packets from a plurality of users.
- 3. (original) The method of claim 1 wherein the step of receiving the plurality of higher-layer packets comprises the step of receiving a plurality of higher-layer TCP/IP packets.
- 4. (original) The method of claim 1 wherein the step of determining the error rate comprises the step of determining a bit error rate (BER)
- 5. (original) The method of claim 1 wherein the step of determining the lower-layer packet size comprises the step of determining an optimal number of higher-layer packets that can be multiplexed onto a single lower-layer packet.
- 6. (original) The method of claim1 wherein the step of multiplexing the higher-layer packets onto the lower-layer packet comprises the step of multiplexing UDP/IP packets onto a single PPP packet utilizing PPPmuxing techniques.

- .
- 7. (original) A method comprising the steps of:

receiving a plurality of UDP/IP packets from a plurality of users;

determining an error rate;

determining a PPP packet size based on the error rate;

multiplexing the plurality of UDP/IP packets onto a PPP packet having a size equal to the PPP packet size; and

transmitting the PPP packet.

- 8. (original) The method of claim 7 wherein the step of receiving the plurality of UDP/IP packets comprises the step of receiving the plurality of UDP/IP packets from a plurality of remote or mobile users.
- 9. (original) The method of claim 7 wherein the step of determining the error rate comprises the step of determining a bit error rate (BER).
- 10. (original) The method of claim 7 wherein the step of determining the PPP packet size comprises the step of determining an optimal number of UDP/IP packets that can be multiplexed onto a single PPP packet.
- 11. (original) The method of claim 7 wherein the step of multiplexing the plurality of UDP/IP packets onto the PPP packet comprises the step of utilizing PPPmuxing techniques to multiplex the plurality of UDP/IP packets onto the PPP packet.

- 12. (original) An apparatus comprising:
  - a packet error estimator outputting a transmission error rate; and
- a multiplexer having the transmission error rate as an input, having a plurality of higher-layer packets as an input, determining a lower-layer packet size based on the transmission error rate, and multiplexing the plurality of higher-layer packets onto a lower-layer packet, wherein the lower-layer packet has a size equal to the lower-layer packet size.
- 13. (original) The apparatus of claim 12 wherein the multiplexer is a PPP multiplexer performing PPPmuxing.
- 14. (original) The apparatus of claim 12 wherein the transmission error rate is bit error rate (BER)
- 15. (original) The apparatus of claim 12 wherein the higher-layer packets comprise UDP/IP packets.
- 16. (original) The apparatus of claim 12 wherein the lower-layer packet comprises a PPP packet.